


EXHIBIT B



NOTES: UNLESS OTHERWISE SPECIFIED

1. MIN. RAD.
2. BREAK SHARP EDGES 01 - .02

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE:	FRACTIONS	DECIMALS	ANGLES
	XX XXX XXX	XX XXX XXX	
	APPROVALS	DATE	
MAIL ROOM	ORAW		
FILED	CHECKED		
ISSUED			

DO NOT SCALE DRAWING

Vistikon Proto


CONFIDENTIAL

SIZE 8000-001

SCALE 1:2

SHEET 11

31



ISOLATED OUTPUT + (WHT) - (GRN)
ISOLATED OUTPUT - (GRN)
ISOLATED OUTPUTS TO 1500V, CABLE TO 300V
UNLESS OTHERWISE SPECIFIED

NOTES: 1. MIN. RAD.
2. BREAK SHARP EDGES. C! - .02

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE	FRACTIONS	DECIMALS .XX .01 .XXX .005 XXXX .001	ANGLES
NATIONAL	APPROVALS	DATE	
DRAWN: [REDACTED]	CHECKED		
DO NOT SCALE DRAWING			

Dual Wave PCB Adjust		CONFIDENTIAL	
SIZE	FILIC HQ	DWG. NO.	REV
A	duolde ti DWG	8010-001	1
SCALE	1:1	SHEET	OF